Mt. Olive M. E. Church and Morgan Charge Parsonage Mt. Olive U. M. Church Gillis Falls and Cabbage Spring Road

Mt. Olive Church purchased the land for its building on 13 December 1870. The church was clearly standing by 1877. It was noted in 1881, in The Methodist, that "the building at Mt. Olive has been completed and remodeled." Local history records that Wesley Harrison and William Henry Gosnell were responsible for building the first and present church buildings, but there is no record of when the first church may have been replaced. When the Morgan Charge was created in 1909. The four churches in the Morgan Charge, Mt. Olive, Morgan Chapel, Watersville, and West Falls, formed a committee to build a new parsonage. The house and floor plan bear a striking resemblance to Modern Home No. 102, "The Hamilton", advertised in the 1908 Sears, Roebuck and Co. Modern Homes catalogue. It is possible that the building committee used this plan as a model for the parsonage, and hired a local builder to executive it, but it is more likely that they purchased the house kit, hauled it to the site and constructed it.

Maryland Historical Trust State Historic Sites Inventory Form

Magi	No.	
DOE	yes	no

1. Nam	e (indicate pre	eferred name)		
historic Mt.	Olive M. E. Church	and Morgan Charge l	Parsonage	
and/or common	Mt. Olive U. M. Ch	urch		
2. Loca	ation			
street & number	· Gillis Falls Road	and Cabbage Spring	Road _	not for publication
city, town Mt.	Airy	_X vicinity of	congressional district	
state Maryla	and	county	Carroll	
3. Clas	sification			
Category district building(s) structure site object	Ownership public private both Public Acquisition in process being considered not applicable	Status occupied unoccupied work in progress Accessible yes: restricted yes: unrestricted no	Present Use agriculture commercial educational entertainment government industrial military	museum park private residence religious scientific transportation other:
4. Own	er of Prope	'ty (give names a	nd mailing addresse	s of <u>all</u> owners)
name Mt. Ol	live Methodist Churc	h		
street & number	2917 Gillis Falls	Road	telephone no	o.: 795–2304
city, town Woo	odbine	state	and zip code MD	21797
5. Loca	ation of Lega	al Description	on	·
courthouse, regi	stry of deeds, etc. Court	house Annex		liber
street & number	55 North Court St	reet	:	folio
city, town Wes	stminster		state	MD
6. Rep	resentation	in Existing	Historical Surv	eys
title				
date			federal stat	e county loca
depository for su	urvey records			
city, town			state	

7. Description

Survey No. CARR-1100

Condition		Check one	Check one		
excellent	deteriorated	unaltered _X_ altered	X original site		
good _X_ fair	unexposed	_zx_ altered	moved date of	move	

Prepare both a summary paragraph and a general description of the resource and its various elements as it exists today.

Summary: Mt. Olive M. E. Church is located on the south side of Gillis Falls Road which curves around the building, at the intersection of Cabbage Spring Road, and is approximately 4 miles northeast of Mt. Airy. The church sits at the top of a steep ridge. It is a one-story, two-bay by three-bay frame building with a parged stone foundation, aluminum siding, and a gable roof of corrugated metal covering wood shingles. The church faces southeast and the roof ridge runs southeast-northwest. The southeast elevation has a new projecting gableroofed vestibule, on a CMU foundation. Above the roof of the vestibule is a small projecting bell tower with a louvered metal box, a hip roof, and a cross on top. northeast and southwest elevations are identical. All three bays have 1/1 sash with Queen Anne muntins. The smaller surrounding lights have colored glass. The original southeast elevation of the church. Above them is a five-light transom, with colored glass. On the northwest end is a raised dais with a semi-circular altar rail that has turned balusters and a square newel with a turned ball on top of it at each end. There is a cemetery southwest of the church. The stones are set diagonally in rows so they face due south. South of the church is the parsonage. It is a 2½-story, three-bay by two-bay frame foursquare with aluminum siding and an asphalt-shingled hip roof. The northeast elevation has a one-story porch across the entire front. The house has a central passage. There is a single room on the southeast, a room on the north, and another room to the west. At the southwest end of the passage is a pantry, with the kitchen to the southeast. The second story has a central passage with two rooms on each side and one across the back. Southwest of the house is a two-bay by one-bay, 1½-story garage. It has vertical, beaded-edge-and-center board siding and a gable roof with inverted-V-seam metal. The garage is built with a circular-sawn heavy timber frame

Mt. Olive M. E. Church is located on the south side of Gillis Falls Road which curves around the building, at the intersection of Cabbage Spring Road, and is approximately 4 miles northeast of Mt. Airy. The church sits at the top of a steep ridge, commanding the road and countryside around it. It is a one-story, two-bay by three-bay frame building with a parged stone foundation, aluminum siding, and a gable roof of corrugated metal covering wood shingles. The church faces southeast and the roof ridge runs southeast-northwest. The southeast elevation has a new projecting gable-roofed vestibule, on a CMU foundation, centered on the front. It has double four-panel doors and a marble stone above, that must have been moved from elsewhere, carved "Mt. Olive Methodist Church". Above the roof of the vestibule is a small projecting bell tower with a louvered metal box, a hip roof, and a cross on top. The northeast and southwest elevations are identical. All three bays have 1/1 sash with Queen Anne muntins. The center light has clear to light amber glass, and the smaller surrounding lights have colored glass. All of the glass has a pebble finish. The northwest elevation is two bays, with identical sash. The original southeast elevation of the

MARYLAND HISTORICAL TRUST STATE HISTORIC SITES INVENTORY FORM

Description (continued)

Section 7 Page 2

church, now covered by the vestibule, has double four-panel doors, with sunken panels. Above them is a five-light transom, with colored glass. The exterior surround is identical to that in the interior.

The interior of the sanctuary is one large worship space, with a carpeted floor, wallpaper on the walls, and a flat plaster ceiling. The windows and door have a plain wood surround, with a pediment on the top that has a projecting beaded edge. The window surrounds are carried down to the baseboard, which is also plain. The loose pews are arranged in two columns, with a center aisle and a narrow aisle on each end. They are made of simple painted boards, with no ornamentation on the ends. There are eight pews to each side, and they probably originally were butted against the wall, because they now block part of the center aisle. On the northwest end is a raised dais with a semi-circular altar rail that has turned balusters and a square newel with a turned ball on top of it at each end. Behind the rail is an oak altar, and beyond it a raised podium that has a pulpit. The pulpit is of pine and has sunken panels with ogee panel moulds with a beaded interior edge. There are two oak chairs against the northwest wall, flanking the pulpit. They have a sunburst motif above the top rail. There are two short pews on either side of the dais, and they are turned to face the pulpit.

There is a cemetery southwest of the church. The stones are set diagonally in rows so they face due south.

South of the church is the parsonage. It is a 2½-story, three-bay by two-bay frame foursquare with aluminum siding and an asphalt-shingled hip roof. northeast, toward Gillis Falls Road. The northeast elevation has a one-story porch across the entire front. The porch has a half-hip roof with standing-seam metal, and new aluminum posts. The first story has a center entrance. This door has one light at the top, with two adjacent lying panels below it, then one lying panel, and two adjacent lying panels at the bottom. Flanking both sides is a window with a single large bottom sash and a stained-glass transom. The glass in the transom is clear, with a green and pink chevron in the center and vertical stripes on each side. The second story has three new 1/1 sash, but the center by retains its stained glass transom that matches those below. There is a dormer with two single-light sash and a hip roof. The northwest elevation has, from north to west on the first story, a single 1/1 sash and paired 1/1 sash. The second story has two 1/1 sash, and the dormer matches that on the northeast. The southeast elevation has, on the first story, a recessed porch with a door on the south bay. This door has a lying panel at the top, a single light, and three lying panels at the bottom. There is a 1/1 sash in the east bay. The second story has two 1/1 sash, and the dormer matches the others.

MARYLAND HISTORICAL TRUST STATE HISTORIC SITES INVENTORY FORM

Description (continued)

Section 7 Page 3

There is a one-story, hip-roof wing attached to the south bay of the southwest elevation. The southeast elevation of this wing has a 1/1 sash to the south, and a recessed porch to the east that is integral with the porch of the main block. The wing has a 1/1 sash set back within the porch. The northwest elevation of this wing has one 1/1 sash. The southwest elevation of the house has three 1/1 sash on the second story. The first story has a 1/1 sash to the west, with two 1/1 sash in the wing. There is also a hip-roofed addition attached to the wing. This addition has a new flush door to the cellar, and a four-light sash.

The house has a central passage with a two-run stair along the southwest and southeast walls of the passage. The closed stringer stairs have simple turned balusters, each with four rings in the center. The square newel post has a ball on the top, and there is a moulded oak hand rail. There are new double doors to the southeast, in an original opening, into a single room on the southeast. There is a double width opening on the northwest wall into a room on the north. This room has a chimney in the south corner. There is another room to the west, also with a double width opening. At the southwest end of the passage is a pantry, with the kitchen to the southeast. The kitchen has a chair rail, with beaded-edge wood wainscot below it. There is a cellar with parged walls under the southeast half of the house only. The first-story joists are 2" x 9¾" and are circular-sawn. The second story has a central passage with two rooms on each side and one across the back. The rafters are 2½" x 5½" and are circular-sawn and nailed. They support board sheathing. The chimney in the north room does not pass through the roof. The window and door surrounds have bullseye corner blocks. The surrounds have two astragals running down the center, with an ogee moulding on each side. The baseboards have an astragal at the top, with an ogee below it. All corners of the baseboards have a corner block topped by a finial.

Southwest of the house is a two-bay by one-bay, 1½-story garage. It has vertical, beaded-edge-and-center board siding and a gable roof with inverted-V-seam metal and a ridge running northwest-southeast. The garage is built with a circular-sawn heavy timber frame with pegged mortise-and-tenon joints. The joists are 2 x 6 and are sawn. There is a new CMU foundation. The northeast elevation has a pair of doors on rollers in the north bay and a six-light sash in the east bay. The southeast elevation has a six-light sash in the gable end and the northwest elevation has large double doors in the gable end. The southwest elevation has a boarded-up window.

KS/lh:6-30-93:CARR1100.des

8.	Si	gn	ific	and	ce

Survey No. CARR-1100

1400- 1500- 1600-	-1699 <u>X</u> architecture -1799 <u> </u>		law literature military music	itectureX_ religion science sculpture social/ humanitarian theater ment transportation other (specify)
Specific	dates	Builder/Architect		
check:	Applicable Criteria:A and/or Applicable Exception:	A B C D	EFG	
	Level of Significance: _	national state	X local	

Prepare both a summary paragraph of significance and a general statement of history and support.

Summary: Mt. Olive Church purchased the land for its building on 13 December 1870. The church was clearly standing by 1877. It was noted in 1881, in The Methodist, that "the building at Mt. Olive has been completed and remodeled." Local history records that Wesley Harrison and William Henry Gosnell were responsible for building the first and present church buildings, but there is no record of when the first church may have been replaced. When the Morgan Charge was created in 1909. The four churches in the Morgan Charge, Mt. Olive, Morgan Chapel, Watersville, and West Falls, formed a committee to build a new parsonage. The house and floor plan bear a striking resemblance to Modern Home No. 102, "The Hamilton", advertised in the 1908 Sears, Roebuck and Co. Modern Homes catalogue. It is possible that the building committee used this plan as a model for the parsonage, and hired a local builder to executive it, but it is more likely that they purchased the house kit, hauled it to the site and constructed it.

Geographic Organization: Piedmont

Chronological/Development Period: Industrial-Urban Dominance A.D. 1870-1930

Historic Period Themes: Architecture, Religion Resource Types: Church, Rural Vernacular

Mt. Olive Church purchased the land for its building on 13 December 1870. The 1862 map does not indicate a building here, but the church was clearly standing by 1877. It was noted in 1881, in The Methodist, that "the building at Mt. Olive has been completed and remodeled." Local history records that Wesley Harrison and William Henry Gosnell were responsible for building the first and present church buildings, but there is no record of when the first church may have been replaced. Judging from a description of the church at an unknown time, changes have been made, but almost nothing is known of the history of the church building.

In the early days, there was a high pulpit in the church and no railing - just a bench called a "mourner's bench". There was a back door in the west

MARYLAND HISTORICAL TRUST STATE HISTORIC SITES INVENTORY FORM

Significance (continued)

Section 8 Page 2

corner of the church which was later made into a window. There were oil lamps in brackets on the walls, and two or three hanging lamps from the ceiling. The wood-burning stove was about in the center of the church in the aisle, and the stovepipe went up and across to the wall on the roadside. Later, this was changed to an oil-burning heater which was on the right side of the church. Electric replaced that heater in 1975.

The church was electrified in 1930. The vestibule was added to the church in 1963. Though it is very simple and plain in design, the church retains its integrity inside, primarily because so little has been added to it. Even the simple original pews survive. A community hall was built in 1921, but it has since been subsumed by later additions.

When the Morgan Charge was created in 1909, the old parsonage at Taylorsville became the parsonage for the Winfield Charge. The four churches in the Morgan Charge, Mt. Olive, Morgan Chapel, Watersville, and West Falls, formed a committee to build a new parsonage. Land next to Mt. Olive Church was purchased from Upton and Effie Henry for \$175.00. The local history notes that the lumber was cut from the farm of Joseph Wagner and that church members hauled it to the mill and then to the site by horse and wagon. The house and floor plan bear a striking resemblance to Modern Home No. 102, "The Hamilton", advertised in the 1908 Sears, Roebuck and Co. Modern Homes catalogue. The Sear's description notes: "This square house is easy to build, as the design is simple. It affords a great deal of room and has a good appearance for the amount of money invested." The cost was between \$1,023 and \$2,385. It is possible that the building committee used this plan as a model for the parsonage, and hired a local builder to executive it, but it is more likely that they purchased the house kit, hauled it to the site and constructed it.

KS/lh:6-30-93:CARR1100.sig

9. Major Bibliographical References

Survey No. CARR-1100

1862 & 1877 maps

"From Whence Cometh Mt. Olive United Methodist Church?" Jean Hernter.typescript
"Highlights of Mt. Olive History". Etta Gosnell Shipley and Beatrice Gosnell Shipley Kolb. typescript
Houses by Mail, Katherine Cole Stevenson and H. Ward Jandl. Preservation Press, 1986, pp. 24, 264

10. Geographic	al Data		·	
Acreage of nominated property Quadrangle name Winfield UTM References do NOT comp1	·	erences	Quadran	gle scale <u>1:24000</u>
A Zone Easting North		B Zone	Easting	Northing
C		D		
Verbal boundary description an	d justification			
List all states and counties for	properties ove	rlapping state or c	ounty boundarie	S
state	code	county	:	code
state	code	county		code
11. Form Prepa	red By			×44×
name/title Kenneth M. Short,	Historic Pl	anner		
organization Carroll County 1	Planning Dep	eartment d	late July 13,	1993
street & number 225 North Cen	ter Street	te	elephone (410)	857-2145
city or town Westminster		s	tate MD	

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:

Maryland Historical Trust

Shaw House

21 State Circle

Annapolis, Maryland 21401

(301) 269-2438

THE HAMILTON'



his square house is easy to build, as the design is simple. It affords a great deal of room and has a good appearance for the amount of money invested. Built in many places and is giving general satisfaction.


Details and features: Eight rooms and one bath. Full-width front porch with hipped roof supported by columns; hipped-gable dormer in front. Sliding doors between hall and parlor and living room.


Years and catalog numbers: 1908 (102, 150); 1911 (102, 150); 1912 (102, 150); 1913 (102, 150); 1916 (264P102, 264P150); 1917 (C102, C150); 1918 (102, 150)

Price: \$1,023 to \$2,385

Locations: New Haven and Norfolk, Conn.; Glencoe and Rockford, Ill.; Grand Rapids,

Mich.; Belleville and Berlin, N.J.; Mingo Junction and Shelby, Ohio; Plainview, Tex.; Bedford City, Va.







In demand for years, this corrections compared with the accommacross the front of the house. If you names of people who have built

Details and features: Seven rooms columns; hipped-gable dormer; glarooms; open stairs.

Years and catalog numbers: 196 (264P111); 1917 (C111); 1918 (30


Price: \$943 to \$2,740


Locations: Roseville, III.; Solon, Iowa; Hudson Falls, N.Y.; Columbus, Sandusky, Warren and Wooster, Ohio; Youngstown, Pa.; Effington, S.D.; Terra Alta, W.Va.; Waukesha, Wis.




From: Houses by Mail, Katherine Cole Stevenson and H. Ward Jandl Preservation Press, 1988 p. 264











CHRR-1100 Mt. Olive ME Church and the Park Cillis Falls Road Carroll Courty, Maryland

Photo: Kenneth m. Short

Date: March 1993

1/5

Neg. Loc. Maryland Historical Trust Southeast : northeast elevations



CARR-1100 Mt. Olive M.E. Churcham de Ross Coilis Falls Road Carroll County, Maryland Photo: Kenneth M. Short Date: March 1993 Neg Loc: Maryland Historical Trust

interior - view northwest



CARKELLO net. Olive the Church Norgan Charge Parsoness Coills Falls Road Carroll County, Maryland Photo: genneth m. Shat Dote April 1993 Nog. Loc. Maryland Historica / Trust Parsonage - northeast; northwest clevations



CAR12-1100 Mt. Olive M. E. Church : Mergan Charge Parsonage Coillis ralls Road Carrell County, Marcia C Photo: hernoth m 3 + Date: April 1993 Parsonage - stairway



Mt. Olive M.E. Church: Morgan Charque Parsonage
Carrell County, Maryland

Photo: Kenneth M. Short

Date; April 1993

Neg 100 Maryland Historical Trust 10 mage - caseboard